

TITAN- UND TITANLEGIERUNGEN TITANIUM AND TITANIUM ALLOYS

Lagerprogramm Rundstäbe - Sechskant / Stock Range Round Bars - Hexagonal

<p>Rundstäbe Ti-6 AL 4V AMS 4928 / WL 3.7164 ABS 5453</p> <p>Round Bars Ti-6 AL 4V AMS 4928 / WL 3.7164 ABS 5453</p>	<p>Rundstäbe Ti-6AL-4-V-Eli ASTM F136 / ISO 5832-3</p> <p>Round Bars Ti-6AL-4-V-Eli ASTM F136 / ISO 5832-3</p>	<p>Rundstäbe Grade 2 ASTM B 348 + F 67</p> <p>Round Bars Grade 2 ASTM B 348 + F 67</p>	<p>Titan Draht, Grade 3 federhart in HL ca. 2 m ASTM B 348 / B 863 W-Nr. 3.7055</p> <p>Titanium wire Grade 3, spring tempered ASTM B 348 / B 863 W-Nr. 3.7055</p>	<p>Galvano-Profile aus Reintitan ASTM B 348 HL ca. 2,7 - 4 m</p> <p>CP titanium jig-section ASTM B 348</p>
8,0 mm Ø	1,2 mm Ø	4 mm Ø	1,5 mm Ø	6,30 x 6,30 mm
10,0 mm Ø	1,6 mm Ø	5 mm Ø	2,0 mm Ø	9,50 x 9,50 mm
12,0 mm Ø	2,0 mm Ø	6 mm Ø	2,5 mm Ø	12,70 x 12,70 mm
16,0 mm Ø	2,5 mm Ø	8 mm Ø	3,0 mm Ø	15,00 x 15,00 mm
20,0 mm Ø	3,0 mm Ø	10 mm Ø	4,0 mm Ø	19,05 x 19,05 mm
22,0 mm Ø	3,5 mm Ø	12 mm Ø	5,0 mm Ø	25,40 x 25,40 mm
25,0 mm Ø	4,0 mm Ø	15 mm Ø		
30,0 mm Ø	4,5 mm Ø	16 mm Ø		12,70 x 6,30 mm
32,0 mm Ø	5,0 mm Ø	19 mm Ø		19,05 x 6,30 mm
35,0 mm Ø	6,0 mm Ø	20 mm Ø		19,05 x 12,70 mm
38,1 mm Ø	7,0 mm Ø	25 mm Ø		25,40 x 6,30 mm
40,0 mm Ø	8,0 mm Ø	30 mm Ø		25,40 x 12,70 mm
45,0 mm Ø	9,0 mm Ø	35 mm Ø		
50,0 mm Ø	10,0 mm Ø	40 mm Ø	<p>Titan Draht, Grade 4 federhart in HL ca. 2-3 m ASTM B 863 / B 348/ F67 W-Nr. 3.7065</p> <p>Titanium wire, Grade 4, spring tempered HL ca. 2-3 m ASTM B 863 / B 348/ F67 W-Nr. 3.7065</p>	
50,8 mm Ø	11,0 mm Ø	45 mm Ø	2,0 mm Ø	
55,0 mm Ø	12,0 mm Ø	50 mm Ø	2,5 mm Ø	
60,0 mm Ø	13,0 mm Ø	55 mm Ø	3,0 mm Ø	
65,0 mm Ø	14,0 mm Ø	60 mm Ø	4,0 mm Ø	
70,0 mm Ø	15,0 mm Ø	65 mm Ø	5,0 mm Ø	
75,0 mm Ø	16,0 mm Ø	70 mm Ø	6,0 mm Ø	
80,0 mm Ø	18,0 mm Ø	75 mm Ø	8,0 mm Ø	
90,0 mm Ø	20,0 mm Ø	80 mm Ø	10,0 mm Ø	
100,0 mm Ø	22,0 mm Ø	90 mm Ø	12,0 mm Ø	
110,0 mm Ø	25,0 mm Ø	95 mm Ø	16,0 mm Ø	
115,0 mm Ø	28,0 mm Ø	100 mm Ø		
120,0 mm Ø	30,0 mm Ø	110 mm Ø		
130,0 mm Ø	35,0 mm Ø	120 mm Ø		
140,0 mm Ø	40,0 mm Ø	130 mm Ø		
150,0 mm Ø	45,0 mm Ø	150 mm Ø		
160,0 mm Ø	50,0 mm Ø	180 mm Ø		
170,0 mm Ø	55,0 mm Ø	190 mm Ø		
180,0 mm Ø	60,0 mm Ø	200 mm Ø		
190,0 mm Ø	65,0 mm Ø	250 mm Ø		
200,0 mm Ø	70,0 mm Ø			
230,0 mm Ø	75,0 mm Ø			
250,0 mm Ø	80,0 mm Ø			
	85,0 mm Ø			
	90,0 mm Ø			
	100,0 mm Ø			



TITAN- UND TITANLEGIERUNGEN TITANIUM AND TITANIUM ALLOYS

Lagerprogramm Bleche + Platten + Coils / Stock Range Round Sheets + Plates + Coils

<p>Bleche + Platten Ti-6 Al 4V AMS 4911 / WL 3.7164 ABS 5326C AIMS 03-18-004 ABS 5125A AIMS 03-18-001</p> <p>Sheets + Plates Ti-6 Al 4V AMS 4911 / WL 3.7164 ABS 5326C AIMS 03-18-004 ABS 5125A AIMS 03-18-001</p>	<p>Coils / Bleche Grade 1 ASTM B 265 + F67 ISO 5832-2</p> <p>Coils / Sheets Grade 1 ASTM B 265 + F67 ISO 5832-2</p>	<p>Coils / Bleche Grade 2 ASTM B 265 + F67 ISO 5832-2</p> <p>Coils / Sheets Grade 2 ASTM B 265 + F67 ISO 5832-2</p>	<p>Bleche Grade 4 ASTM B 265</p> <p>Sheets Grade 4 ASTM B 265</p>	<p>Coils / Bleche KS 1,2 ASN</p> <p>Coils / Sheets KS 1,2 ASN</p>
1,00 mm	0,5 x 1250 mm	0,5 x 1250 mm	0,50 mm	0,7 x 1000 mm
1,20 mm	0,6 x 1250 mm	0,6 x 1250 mm	0,70 mm	0,9 x 1250 mm
1,60 mm	0,7 x 1250 mm	1,0 x 1250 mm	0,80 mm	1,0 x 1250 mm
2,00 mm	0,8 x 1250 mm	1,5 x 1250 mm	1,00 mm	1,2 x 1250 mm
2,50 mm	0,9 x 1250 mm	2,0 x 1250 mm	1,27 mm	1,5 x 1250 mm
3,00 mm	1,0 x 1250 mm	2,5 x 1250 mm	1,57 mm	
4,00 mm	1,2 x 1250 mm	3,0 x 1250 mm	2,00 mm	
5,00 mm	1,5 x 1250 mm	4,0 x 1250 mm	3,00 mm	
6,00 mm	2,0 x 1250 mm			
6,35 mm	3,0 x 1250 mm			
8,00 mm				
10,00 mm				
12,00 mm				
15,00 mm				
16,00 mm				
20,00 mm				
25,00 mm				
30,00 mm				
32,00 mm				
35,00 mm				
40,00 mm				
45,00 mm				
50,00 mm				
55,00 mm				
60,00 mm				
63,50 mm				
65,00 mm				
70,00 mm				
76,20 mm				
80,00 mm				
90,00 mm				
100,00 mm				
<p>ASTM B 265 Gr. 5 W.-Nr. 3.7165.1</p>		<p>Bleche / Platten Grade 2 ASTM B 265 / ASME SB 265</p> <p>Sheets / Plates Grade 2 ASTM B 265 / ASME SB 265</p>		
20 mm		5,0 mm		
25 mm		6,0 mm		
30 mm		8,0 mm		
35 mm		10,0 mm		
40 mm		12,0 mm		
		15,0 mm		
		20,0 mm		
		25,0 mm		
		30,0 mm		
		35,0 mm		
		40,0 mm		
		50,0 mm		
		63,5 mm		

S+D ist zugelassen als Lieferant für die Luftfahrtindustrie nach EN 9120 und DIN EN ISO 14001. S+D is an approved supplier for the aviation industry according to EN 9120 and DIN EN ISO 14001. Alle Hersteller zugelassen nach EN/ISO 9001 und/oder 9100. All mills approved acc. to EN 9001 and/or 9100.